


Koken Z-series



Koken Z-series

Z series - Evolution of Automotive service Lineup



Z-series MOVIE

- CONCEPT -

Continued advancements in engine designs and structures are producing engines that are more complex and compact.

Work environments are being transformed to cater towards increased demands on auto mechanics. We at Ko-ken TOOL CO., LTD., specialists in socket wrench manufacturing, have been committed to the development of automotive tools that are more suitable by pouring in our passion for perfecting hand tools and utilizing our experience obtained through over half a century of manufacturing to create the Z series.

“Z” stands for “zeal”. Through their unequaled performance, Z-Series tools are certain to become the mechanic’s new standard for the next generation of automotive tools.

- OVERALL -



• Designed for best performance

The designs were thoroughly reviewed to produce the Z-series.



All items in this series are now more compact.

Foregoing standards, radical design concepts have been implemented in producing the Z series which enables maximum potential in all professional mechanics.

• Tolerance – Square drive

Movement at the joint between a socket and a ratchet or other drive accessory has been accepted as unavoidable.


To reduce this movement, we thoroughly reviewed dimensional accuracy of all the joint parts of Z-Series, and any movement in the rotating direction has now been minimized through production technologies.



• Ball Holding Groove

The new Ball Holding system was installed. Any movement in the connecting direction has been reduced by a mechanism that pulls the parts together.

- REVERSIBLE RATCHET -



A, B : Other brand

• 36 tooth gear Ratchet Handle - Light Ratchet Movement

This ratchet handle has a new mechanism for enhanced usability.


This Ratchet has incredibly light turning torque that enables working on loosely tightened bolts.

With the compact head and balanced design, the Z-Series ratchet has evolved into what can be called the "ideal ratchet handle".

• Grip

Grip part is made from Elastomer which has a smooth surface and resists to wear / erosion from oil.

Direct injection to the ratchet handle makes to avoid grip removal.




- SOCKETS -

• Compact

The length and diameter of sockets have been significantly reduced.


Ideal for working in confined and tight areas.

- Comparison of 10mm Sockets-




• Tolerance - Hexagon Opening.

Foregoing the ISO and DIN standards, radical design concepts have been implemented in producing the Z series which enables maximum potential in all professional mechanics.



6-point Sockets Vasos Hexagonales **2400MZ**




2400MZ (mm)	D1 (mm)	D2 (mm)	ℓ (mm)	L (mm)	(g)	(pcs.)
4	6.4	11	3	14	6	10
4.5	7	11	3	14	6	10
5	7.6	11	3	14	6	10
5.5	8.2	11	3.5	14	6	10
6	8.8	11	3.5	14	6	10
7	9.9	11	3.5	14	6	10
8	11.1	11.7	4.5	15	7	10
10	13.5	12.5	7	15	8	10
11	14.7	13.2	7	15	9	10
12	15.9	14.4	7	15	11	10
13	17.1	15.6	7	15	14	10
14	18.3	16.8	7	15	16	10

Socket Set on Rail Juego de Vasos en Regleta **RS2400MZ/12**



RS2400MZ/12	12 Pieces Set / Rail 200mm	(g)
4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14		228

6-point Sockets, Semi-Deep Vasos Hexagonales, Medianos **2300XZ**




2300XZ (mm)	D1 (mm)	D2 (mm)	ℓ (mm)	H (mm)	L (mm)	(g)	(pcs.)
5.5	8.2	11	6	20	30	10	10
6	8.8	11	7	20	30	10	10
7	9.9	11	8	20	30	11	10
8	11.1	11.7	9	20	30	13	10
10	13.5	12.5	11	20	30	16	10
11	14.7	13.2	12	20	30	19	10
12	15.9	14.4	13	20	30	22	10
13	17.1	15.6	14	20	30	26	10
14	18.3	16.8	14	20	30	30	10

Socket Set on Rail Juego de Vasos en Regleta **RS2300XZ/9**



RS2300XZ/9	9 Pieces Set / Rail 200mm	(g)
5.5, 6, 7, 8, 10, 11, 12, 13, 14		290

6-point Deep Sockets Vasos Hexagonales Largos **2300MZ**



2300MZ (mm)	D1 (mm)	D2 (mm)	ℓ (mm)	H (mm)	L (mm)	(g)	(pcs.)
4	6.4	11	5	40	50	14	10
4.5	7	11	5.5	40	50	16	10
5	7.6	11	6	40	50	16	10
5.5	8.2	11	6.5	40	50	16	10
6	8.8	11	7	40	50	17	10
7	9.9	11	8	40	50	20	10
8	11.1	11.7	9	40	50	22	10
10	13.5	12.5	11	40	50	29	10
11	14.7	13.2	12	40	50	33	10
12	15.9	14.4	13	40	50	40	10
13	17.1	15.6	14	40	50	45	10
14	18.3	16.8	16	40	50	51	10

Socket Set on Rail Juego de Vasos en Regleta **RS2300MZ/12**




RS2300MZ/12	12 Pieces Set / Rail 200mm	(g)
4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14		445

2000Z.28 (PH)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
1	11.2	12	28	9	10
2	11.2	12	28	10	10
3	11.2	12	28	10	10

2000Z-28



Phillips Bit Sockets
Vasos con Punta Phillips




2000Z.50 (PH)	D (mm)	d (mm)	H (mm)	L (mm)	(g)	(pcs.)
1	11.2	4	34	50	11	10
2	11.2	5	34	50	13	10
3	11.2	-	34	50	16	10

*Size PH3 : 1/4" Hex Shank

2000Z-50



Phillips Bit Sockets
Vasos con Punta Phillips




2005Z.25	T x W (mm)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
5	1.0 x 5.5	11.2	9	25	9	10
6	1.2 x 6.5	11.2	9	25	10	10

2005Z-25



Slotted Bit Sockets
Vasos con Punta Recta para Cabeza Ranurada




2010MZ.25 (mm)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
3	11.2	9	25	9	10
4	11.2	9	25	9	10
5	11.2	9	25	10	10
6	11.2	9	25	10	10

2010MZ-25



Inhex Bit Sockets
Vasos con Punta Hexagonal




2010MZ.50 (mm)	D (mm)	d (mm)	H (mm)	L (mm)	(g)	(pcs.)
3	11.2	4	34	50	11	10
4	11.2	5	34	50	13	10
5	11.2	6	34	50	15	10
6	11.2	-	34	50	17	10

*Size 6 : 1/4" Hex Shank

2010MZ-50



Inhex Bit Sockets
Vasos con Punta Hexagonal



RS20XXZ/9




Socket Set on Rail
Juego de Vasos en Regleta

RS20XXZ/9	12 Pieces Set / Rail 200mm	(g)
2000Z.28	1, 2, 3	213
2005Z.25	5, 6	
2010MZ.25	3, 4, 5, 6	



TORX® Bit Sockets
Vasos con Punta TORX®


2025Z-28



2025Z.28 (T)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
T10	11.2	12	28	9	10
T15	11.2	12	28	9	10
T20	11.2	12	28	9	10
T25	11.2	12	28	10	10
T27	11.2	12	28	10	10
T30	11.2	12	28	10	10
T40	11.2	12	28	11	10

TORX® Bit Sockets
Vasos con Punta TORX®

2025Z-50



2025Z.50 (T)	D (mm)	d (mm)	H (mm)	L (mm)	(g)	(pcs.)
T10	11.2	4	34	50	11	10
T15	11.2	4	34	50	11	10
T20	11.2	4.5	34	50	12	10
T25	11.2	5	34	50	13	10
T27	11.2	5	34	50	13	10
T30	11.2	5.6	34	50	15	10
T40	11.2	-	34	50	17	10

*Size T40 : 1/4" Hex Shank

Socket Set on Rail
Juego de Vasos en Regleta

RS2025Z/7-L28

RS2025Z/7-L50




RS2025Z/7-L28	7 Pieces Set / Rail 200mm	(g)
T10, T15, T20, T25, T27, T30, T40		195
RS2025Z/7-L50	7 Pieces Set / Rail 200mm	(g)
T10, T15, T20, T25, T27, T30, T40		220

Reversible Ratchet
Llave de Carraca Reversible

2725Z

2725Z-160

36




	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2725Z	20.5	17.1	9.5	114	79	2
2725Z-160	20.5	17.1	9.5	160	115	2

Flexible Ratchet, Reversible
Llave de Carraca Flexible, Reversible


2726Z

2726Z-160

36



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2726Z	20.5	17.1	9.5	114	103	2
2726Z-160	20.5	17.1	9.5	160	125	2




2760Z	D (mm)	L (mm)	(g)	(pcs.)
50	11.5	50	21	10
100	11.5	100	39	10
150	11.5	150	58	10

2760Z Extension Bars
Alargaderas





Universal Joint




2771Z	D (mm)	L (mm)	(g)	(pcs.)
2771Z	11.7	29.9	15	10

2771Z Universal Joint
Articulación Universal




2772Z	D (mm)	L (mm)	(g)	(pcs.)
2772Z	11.7	46	26	10


2772Z Universal Joint
Articulación Universal




2756Z Quick Spinner
Disco de Giro Rápido



2756Z	D (mm)	L (mm)	(g)	(pcs.)
2756Z	20.3	18	15	10



2756Z-3/8 Quick Spinner
2756Z-1/2 Disco de Giro Rápido




	D (mm)	L (mm)	(g)	(pcs.)
2756Z-3/8	20.3	21.5	24	10
2756Z-1/2	20.3	26	35	10

Socket Set
Juego de Vasos

P2285Z




P2285Z		26 Pieces Set /  660 g
PLASTIC CASE : W245xH120xT45mm		
Sockets		Accessories
	2400MZ 6-pt. Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14	 2725 Z
	2000Z.28 1, 2, 3	 2756 Z
	2005Z.25 5, 6	 2771Z
	2010MZ.25 3, 4, 5, 6	 2760Z-50
		 2760Z-150

Socket Set
Juego de Vasos

2286Z



2286Z		17 Pieces Set /  780 g
BLACK METAL CASE : W240xH100xT32mm		
Sockets		Accessories
	2400MZ 6-pt. Sockets 4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14	 2725 Z
		 2756 Z
		 2771Z
		 2760Z-50
		 2760Z-100
		 2760Z-150

Socket Set
Juego de Vasos

2285ZE



2285ZE		10 Pieces Set /  300g
Rail 200mm / PLASTIC BAG		
Sockets		Accessories
	2400MZ 6-pt.Sockets 5.5, 6, 7, 8, 10, 12, 13, 14	 2725 Z
		 2756 Z




3400MZ



6-point Sockets
Vasos Hexagonales

3400MZ (mm)	D ₁ (mm)	D ₂ (mm)	ℓ (mm)	L (mm)	(g)	(pcs.)
5.5	8.5	17	3.5	19	16	10
6	9.1	17	3.5	19	17	10
7	10.3	17	3.5	19	17	10
8	11.5	17	4.5	20	17	10
10	14	17	4.5	20	18	10
11	15.3	17	5.5	21	18	10
12	16.5	17	5.5	21	19	10
13	17.8	17	8.5	21	19	10
14	19	17	8.5	21	20	10
15	20.2	18.2	8.5	21	24	10
16	21.3	19.3	8.5	21	28	10
17	22.5	20.5	8.5	21	32	10
18	23.6	21.6	9.5	22	38	10
19	24.8	22.8	9.5	22	41	10
21	27	25	10.5	23	51	10
22	28.3	26.3	10.5	23	58	10



RS3400MZ/8 RS3400MZ/12



Socket Set on Rail
Juego de Vasos en Regleta

RS3400MZ/8	8 Pieces Set / Rail 200mm	(g)
8, 10, 11, 12, 13, 14, 17, 19		320
RS3400MZ/12	12 Pieces Set / Rail 300mm	(g)
7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19		490




3300XZ



6-point Sockets, Semi-Deep
Vasos Hexagonales, Medianos

3300XZ (mm)	D ₁ (mm)	D ₂ (mm)	ℓ (mm)	H (mm)	L (mm)	(g)	(pcs.)
7	10.3	17	8	23	35	23	10
8	11.5	17	9	23	35	24	10
10	14	17	11	23	35	26	10
11	15.3	17	12	23	35	28	10
12	16.5	17	13	23	35	29	10
13	17.8	17	14	23	35	32	10
14	19	17	16	23	35	34	10
15	20.2	18.2	16	23	35	40	10
16	21.3	19.3	16.5	23	35	45	10
17	22.5	20.5	16.5	23	35	50	10
18	23.6	21.6	16.5	23	35	56	10
19	24.8	22.8	18	23	35	60	10



RS3300XZ/8 RS3300XZ/12



Socket Set on Rail
Juego de Vasos en Regleta


RS3300XZ/8	8 Pieces Set / Rail 200mm	(g)
8, 10, 11, 12, 13, 14, 17, 19		420
RS3300XZ/12	12 Pieces Set / Rail 300mm	(g)
7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19		630





6-point Deep Sockets
Vasos Hexagonales Largos

3300MZ



3300MZ (mm)	D1 (mm)	D2 (mm)	l (mm)	H (mm)	L (mm)	(g)	(pcs.)
7	10.3	17	8	41.5	55	29	10
8	11.5	17	9	41.5	55	34	10
10	14	17	11	41.5	55	43	10
11	15.3	17	12	41.5	55	45	10
12	16.5	17	13	41.5	55	49	10
13	17.8	17	14	41.5	55	52	10
14	19	17	16	41.5	55	55	10
15	20.2	18.2	16	40.5	55	65	10
16	21.3	19.3	17	40.5	55	74	10
17	22.5	20.5	18	40.5	55	83	10
18	23.6	21.6	19	39.5	55	90	10
19	24.8	22.8	20	39.5	55	95	10



Socket Set on Rail
Juego de Vasos en Regleta

RS3300MZ/8
RS3300MZ/12



RS3300MZ/8	8 Pieces Set / Rail 200mm	(g)
8, 10, 11, 12, 13, 14, 17, 19		590
RS3300MZ/12	12 Pieces Set / Rail 300mm	(g)
7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19		900



Socket Set on Rail
Juego de Vasos en Regleta

RS3X00MZ/12




RS3X00MZ/12	12 Pieces Set / Rail 300mm	(g)
3400MZ	8, 10, 11, 12, 13, 14, 17, 19	550
3300MZ	8, 10, 12, 14	



Spark Plug Sockets with Spring Clips
Llaves de Bujía con Presillas

3300CZ




Spark Plug Socket

3300CZ (mm)	D (mm)	l (mm)	L (mm)	(g)	(pcs.)
14	18.4	11	70	67	10
16	20.5	13	70	71	10
18	22.9	12	70	75	10
20.8	26.3	13.5	70	105	10



Spark Plug Sockets with Magnet, 12-pt. opening
Llaves de Bujía con Imán, Boca Bihex

3305PZ



Spark Plug, 12-pt. Size:14mm


3305PZ (mm)	D (mm)	l (mm)	L (mm)	(g)	(pcs.)
14	17.9	8	70	56	10
16	20	8	70	55	10

3010MZ.50 (mm)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
3	17	23.5	50	28	10
4	17	23.5	50	29	10
5	17	23.5	50	30	10
6	17	23.5	50	35	10
7	17	23.5	50	38	10
8	17	23.5	50	40	10
10	17	23.5	50	50	10
12	19	23.5	50	70	10

3010MZ-50




Inhex Bit Sockets
Vasos con Punta Hexagonal



3010MZ-75



Inhex Bit Sockets
Vasos con Punta Hexagonal



3010MZ.75 (mm)	D (mm)	d (mm)	H (mm)	L (mm)	(g)	(pcs.)
3	17	6	48.5	75	33	10
4	17	6	48.5	75	35	10
5	17	6	48.5	75	36	10
6	17	7	48.5	75	41	10
7	17	7.9	48.5	75	45	10
8	17	-	48.5	75	48	10
10	17	-	48.5	75	65	10
12	19	-	48.5	75	90	10

*Size 8,10,12 : Hex Shank

RS3010MZ/8-L50 RS3010MZ/8-L75



Socket Set on Rail
Juego de Vasos en Regleta


RS3010MZ/8-L50	8 Pieces Set / Rail 200mm	(g)
3, 4, 5, 6, 7, 8, 10, 12		450
RS3010MZ/8-L75	8 Pieces Set / Rail 200mm	(g)
3, 4, 5, 6, 7, 8, 10, 12		530



3025Z-50




TORX® Bit Sockets
Vasos con Punta TORX®



3025Z-75



TORX® Bit Sockets
Vasos con Punta TORX®



3025Z.50 (T)	D (mm)	H (mm)	L (mm)	(g)	(pcs.)
T10	17	23.5	50	27	10
T15	17	23.5	50	28	10
T20	17	23.5	50	28	10
T25	17	23.5	50	29	10
T27	17	23.5	50	30	10
T30	17	23.5	50	31	10
T40	17	23.5	50	35	10
T45	17	23.5	50	38	10
T50	17	23.5	50	48	10
T55	19	23.5	50	70	10

3025Z.75 (T)	D (mm)	d (mm)	H (mm)	L (mm)	(g)	(pcs.)
T20	17	4.5	48.5	75	32	10
T25	17	5	48.5	75	33	10
T27	17	5	48.5	75	33	10
T30	17	5.6	48.5	75	35	10
T40	17	6.7	48.5	75	41	10
T45	17	7.9	48.5	75	45	10
T50	17	8.9	48.5	75	55	10
T55	19	11.3	48.5	75	80	10

RS3025Z/8-L50 RS3025Z/8-L75



Socket Set on Rail
Juego de Vasos en Regleta


RS3025Z/8-L50	8 Pieces Set / Rail 200mm	(g)
T20, T25, T27, T30, T40, T45, T50, T55		440
RS3025Z/8-L75	8 Pieces Set / Rail 200mm	(g)
T20, T25, T27, T30, T40, T45, T50, T55		480



Reversible Ratchet Short
Llave de Carraca Reversible Corta **2725Z-3/8**



36




	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2725Z-3/8	20.5	20.5	9.5	114	83	2

Reversible Ratchet
Llave de Carraca Reversible **2725Z-3/8(L160)**



36




	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2725Z-3/8(L160)	20.5	20.5	9.5	160	120	2

Reversible Ratchet Short
Llave de Carraca Reversible Corta **3725ZS**



36




	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3725ZS	28	24.5	13.7	100	157	2

Reversible Ratchet
Llave de Carraca Reversible **3725Z**



36




	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3725Z	28	24.5	13.7	178	254	1


Reversible Ratchet
Llave de Carraca Reversible **3725Z-280**



36



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3725Z-280	28	24.5	13.7	280	360	1




2726Z-3/8

Flexible Ratchet, Reversible (Short)
Llave de Carraca Flexible, Reversible (Corta)



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2726Z-3/8	20.5	20.5	9.5	114	107	2




2726Z-3/8(L160)

Flexible Ratchet, Reversible
Llave de Carraca Flexible, Reversible



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
2726Z-3/8(L160)	20.5	20.5	9.5	160	130	2



3726ZS

Flexible Ratchet, Reversible (Short)
Llave de Carraca Flexible, Reversible (Corta)



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3726ZS	28	24.5	13.7	120	196	2



Oval Shape
Shank




3726Z

Flexible Ratchet, Reversible
Llave de Carraca Flexible, Reversible



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3726Z	28	24.5	13.7	178	317	1



Oval Shape
Shank




3726Z-280

Flexible Ratchet, Reversible
Llave de Carraca Flexible, Reversible



	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pcs.)
3726Z-280	28	24.5	13.7	280	420	1



Hinge Handle
Mango Articulado


3768Z-250



Oval Shape Shank



Hinge Handle




	D (mm)	L (mm)	(g)	(pcs.)
3768Z-250	20.5	250	309	5

Hinge Handle
Mango Articulado

3768Z-400




Hinge Handle



	D (mm)	L (mm)	(g)	(pcs.)
3768Z-400	20.5	400	500	2

Extension Bars
Alargaderas



3760Z



3760Z	D (mm)	L (mm)	(g)	(pcs.)
75	17.5	75	66	10
125	17.5	125	103	10
250	17.5	250	195	5

Universal Joint
Articulación Universal

3771Z





Universal Joint


3771Z	D (mm)	L (mm)	(g)	(pcs.)
3771Z	18	42.5	44	10

Universal Joint
Articulación Universal

3772Z




3772Z	D (mm)	L (mm)	(g)	(pcs.)
3772Z	18	65	76	10





	D (mm)	L (mm)	(g)	(pcs.)
3756Z	28	25	40	10



2726Z-3/8 + 3756ZS + Socket



	D (mm)	L (mm)	(g)	(pcs.)
3756ZS	20.3	25	26	10



	D (mm)	L (mm)	(g)	(pcs.)
3756Z-1/2	28	29	52	10



	D (mm)	L (mm)	(g)	(pcs.)
3322AZ-75	17.5	75	42	10

3756Z Quick Spinner
Disco de Giro Rápido



3756ZS Quick Spinner
Disco de Giro Rápido



3756Z-1/2 Quick Spinner
Disco de Giro Rápido



3322AZ-75 Extension Adaptor
Adaptador Alargadera





Socket Set
Juego de Vasos **3285Z**



Socket Set
Juego de Vasos **3285ZA**



Socket Set
Juego de Vasos **3286Z**



Socket Set
Juego de Vasos **3285ZE**




3285Z 26 Pieces Set /  2,100 g

PLASTIC TRAY : W390xH180xT25

Sockets	Accessories
 3400MZ 6-pt. Sockets 5.5, 6, 7, 8, 10, 12, 13, 14, 17 19, 21, 22	 3725 Z
 3300MZ 6-pt. Deep Sockets 8, 10, 12, 14	 3756 Z
 3300CZ Spark Plug Sockets 14, 16, 20.8	 3771Z
	 3768Z-250
	 3760Z-75
	 3760Z-125
	 3760Z-250


3285ZA 15 Pieces Set /  750 g

PLASTIC TRAY : W300xH90xT25

Sockets	Accessories
 3400MZ 6-pt. Sockets 5.5, 6, 7, 8, 10, 12, 13, 14, 17 19, 21, 22	 3725 Z
	 3756 Z
	 3771Z

3286Z 21 Pieces Set /  2,600 g

BLACK METAL CASE : W415xH120xT50

Sockets	Accessories
 3400MZ 6-pt. Sockets 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22	 3725 Z
	 3756 Z
	 3771Z
	 3768Z-250
	 3760Z-75
	 3760Z-125
	 3760Z-250

3285ZE 9 Pieces Set /  600g

Rail 200mm / PLASTIC BAG


Sockets	Accessories
 3400MZ 6-pt. Sockets 8, 10, 12, 13, 14, 17, 19	 3725 Z
	 3756 Z

4400MZ



6-point Sockets
Vasos Hexagonales

4400MZ (mm)	D ₁ (mm)	D ₂ (mm)	ℓ (mm)	L (mm)	(g)	(pcs.)
8	12.6	20.6	4.5	26	30	10
10	15	20.6	4.5	26	31	10
12	17	20.6	5.5	27	32	10
13	18.3	21.5	6.5	28	40	10
14	19.5	21.5	6.5	28	40	10
16	22	21.5	7.5	29	43	10
17	23	22.5	7.5	29	49	10
18	24.1	23.6	7.5	29	56	10
19	25.3	24.4	9.5	29	62	10
21	27.6	26.3	10.5	29	76	10
22	28.8	27.5	11	29	83	10
24	31.1	29.2	12	29	96	5
27	34.6	32.2	13.5	30	124	5
30	38.1	35.2	14.5	31	156	5
32	40.4	36.8	15.5	32	178	5



RS4400MZ/10



Socket Set on Rail
Juego de Vasos en Regleta

RS4400MZ/10	10 Pieces Set / Rail 300mm	 (g)
10. 12. 13. 14. 17. 19. 21. 22. 24. 27		830




4725Z

Reversible Ratchet
Llave de Carraca Reversible



4725Z	D (mm)	T (mm)	H (mm)	L (mm)	(g)	(pce.)
4725Z	36.5	32.8	18.2	253	590	1



Hinge Handle



Oval Shape Shank




4768Z-430

Hinge Handle
Mango Articulado




4768Z-430	D (mm)	L (mm)	(g)	(pcs.)
4768Z-430	28	430	720	2



Extension Bars
Alargaderas



4760Z



4760Z	D (mm)	L (mm)	(g)	(pcs.)
125	23	125	180	5
250	23	250	340	5

Universal Joint
Articulación Universal

4771Z





Universal Joint

4771Z	D (mm)	L (mm)	(g)	(pcs.)
4771Z	23.7	55.8	100	10

Universal Joint
Articulación Universal


4772Z




4772Z	D (mm)	L (mm)	(g)	(pcs.)
4772Z	23.7	87.2	170	5

Quick Spinner
Disco de Giro Rápido

4756Z



4756Z	D (mm)	L (mm)	(g)	(pcs.)
4756Z	36.3	33.5	84	10

4285Z		21 Pieces Set / 4,800 g
BLACK METAL CASE : W445xH190xT50		
Sockets	Accessories	
 4400MZ 6-pt. Sockets 8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32	 4725 Z  4756 Z  4771Z  4768Z-430  4760Z-125  4760Z-250	

4285Z Socket Set
Juego de Vasos



4285ZE Socket Set
Juego de Vasos

4285ZE		11 Pieces Set / 1,380g
Rail 300mm/PLASTIC BAG		
Sockets	Accessories	
 4400MZ 6-pt. Sockets 10, 12, 13, 14, 17, 19, 21, 22, 24	 4725 Z  4756 Z	



RSAL200
RSAL300 Rail
Regleta



RSAL200		RAIL (mm)	CLIP (pcs.)	(g)	(pce.)
1/4 x 12	1/4"	200	12	125	1
3/8 x 8	3/8"	200	8	130	1
RSAL300		RAIL (mm)	CLIP (pcs.)	(g)	(pce.)
3/8 x 12	3/8"	300	12	180	1
1/2 x 10	1/2"	300	10	190	1

RSAL
CLIP.P/5




RAIL

	RAIL (mm)	(g)	(pce.)
RSAL-200	200	110	1
RSAL-300	300	145	1
RSAL-400	400	210	1


CLIP

CLIP.P/5		(g)	(pce.)
1/4	1/4"	10	5
3/8	3/8"	13	5
1/2	1/2"	20	5

No.	PART NAME		QUANTITY	SURFACE TREATMENT
(1)	HEAD		1	Ni-Cr
(2)	BODY	FORK	1	Ni-Cr
(3)		GRIP	1	—
(4)	—		1	MANGANESE PHOSPHATE
(5)	—		1	MANGANESE PHOSPHATE
(6)	—		—	—
(7)	—		—	MANGANESE PHOSPHATE
(8)	—		—	—
(9)	—		—	PHATE
(10)	—		—	—
(11)	SCREW		—	—
(12)	BALL		—	—
(13)	SPRING		—	—
(14)	JOINT PIN		1	—
(15)	SPRING WASHER		1	—
(16)	BALL		1	—
(17)	SPRING		1	—



SEC. A-A' (1/1)



Koken TOOL CO., LTD.

www.koken-tool.co.jp/en/

2018.08